

P.O. "Madonna delle Grazie" MATERA

TIPO	MARCA	Modello	Seriale	RAM	CPU	HD	S.O.
Workstation	DELL	PRECISION T3620		16 GB	Intel XEON E3-1245	1 TB HGST Travelstar	WIN 10
Workstation	DELL	PRECISION T3620		16 GB	Intel XEON E3-1245	1 TB HGST Travelstar	WIN 10
Workstation	DELL	PRECISION T3620		16 GB	Intel XEON E3-1245	1 TB HGST Travelstar	WIN 10
Workstation	DELL	PRECISION T3620		16 GB	Intel XEON E3-1245	1 TB HGST Travelstar	WIN 10
Workstation	DELL	PRECISION T3620		16 GB	Intel XEON E3-1245	1 TB HGST Travelstar	WIN 10
Workstation	DELL	PRECISION T3620		16 GB	Intel XEON E3-1245	1 TB HGST Travelstar	WIN 10
Workstation	DELL	PRECISION T3620		16 GB	Intel XEON E3-1245	1 TB HGST Travelstar	WIN 10
Workstation	DELL	PRECISION T3620		16 GB	Intel XEON E3-1245	1 TB HGST Travelstar	WIN 10
Workstation	DELL	PRECISION T3620		16 GB	Intel XEON E3-1245	1 TB HGST Travelstar	WIN 10
Workstation	DELL	PRECISION T3620		16 GB	Intel XEON E3-1245	1 TB HGST Travelstar	WIN 10
Workstation	DELL	PRECISION T3400	CKFN94J	4 GB	Quad 2,83GHz	72 GB SCSI	WIN 7

Monitor diagnostico	EIZO	GS320	20938042A	3Mp
Monitor diagnostico	EIZO	GS320	20938042A	3Mp
Monitor diagnostico	EIZO	GS320	20938042A	3Mp
Monitor diagnostico	EIZO	GS320	20938042A	3Mp
Monitor diagnostico	EIZO	GS320	20946042A	3Mp
Monitor diagnostico	EIZO	GS320	20946042A	3Mp
Monitor diagnostico	EIZO	GS320	20938042A	3Mp
Monitor diagnostico	EIZO	GS320	20938042A	3Mp
Monitor diagnostico	EIZO	GS320	20946042A	3Mp
Monitor diagnostico	EIZO	GS320	20946042A	3Mp
Monitor diagnostico	EIZO	GS320	2265039	3Mp
Monitor diagnostico	EIZO	GS320	2314049	3Mp
Monitor diagnostico	EIZO	GS320	2318049	3Mp
Monitor diagnostico	EIZO	GS320	2328049	3Mp
Monitor diagnostico	EIZO	GS320	2343049	3Mp
Monitor diagnostico	EIZO	GS320	2335049	3Mp
Monitor diagnostico	EIZO	GS520	2342049	5Mp
Monitor diagnostico	EIZO	GS520	2334049	5Mp
Monitor diagnostico	EIZO	GS520	21211118	5Mp
Monitor diagnostico	EIZO	GS520	21211018	5Mp
Monitor Visualizzazione	EIZO	SX30332	22801078	FHD
Monitor Visualizzazione	EIZO	SX30332	22999078	FHD

Server	DELL	POWER EDGE 2950	6Q8H94J	8 GB	Quad XEON 5450	3x146 GB SAS	WIN 2003
Server	DELL	POWER EDGE 2950	B47H94J	8 GB	Quad XEON 5450	3x146 GB SAS	WIN 2003
Server	DELL	POWER EDGE 2950	DQ8H94J	8 GB	Quad XEON 5450	3x146 GB SAS	WIN 2003
Server	DELL	POWER EDGE 2950	8GL6B4J	8 GB	Quad XEON 5450	3x146 GB SAS	WIN 2003
Server	DELL	POWER EDGE 2950	CGL6B4J	8 GB	Quad XEON 5450	3x146 GB SAS	WIN 2003
Server regionali	DELL	POWER EDGE 2950	8GL6B4J	8 GB	Quad XEON 5450	3x146 GB SAS	WIN 2003
Server regionali	DELL	POWER EDGE 2950	CGL6B4J	8 GB	Quad XEON 5450	3x146 GB SAS	WIN 2003
Storage	EMC	ENC VNX3500	APM00085101791	Sistema DR Regionale		5,5 TB SAS + 177 TB SATA	

Lo storage Regionale Principale, di caratteristiche identiche, è presso la sede regionale di Potenza

Robot	Rimage	5400	10021818				
Robot	Rimage	5400	10021818				
Robot	Rimage	5400	10021818				
Robot	Rimage	2000I	10020844				
Robot	Rimage	2000I	10020844				
TIPO	MARCA	Modello	Seriale	RAM	CPU	HD	S.O.

PC RIS + MONITOR	DELL	OPTIPLEX 760	4G8H94J	2 GB	Duo 2,5GHz	80 GB SATA	WIN XP
PC RIS + MONITOR	DELL	OPTIPLEX 760	HF8H94J	2 GB	Duo 2,5GHz	80 GB SATA	WIN XP
PC RIS + MONITOR	DELL	OPTIPLEX 760	7D8H94J	2 GB	Duo 2,5GHz	80 GB SATA	WIN XP
PC RIS + MONITOR	DELL	OPTIPLEX 760	FG8H94J	2 GB	Duo 2,5GHz	80 GB SATA	WIN XP
PC RIS + MONITOR	DELL	OPTIPLEX 760	CF8H94J	2 GB	Duo 2,5GHz	80 GB SATA	WIN XP
PC RIS + MONITOR	DELL	OPTIPLEX 760	1F8H94J	2 GB	Duo 2,5GHz	80 GB SATA	WIN XP
PC RIS + MONITOR	DELL	OPTIPLEX 760	5F8H94J	2 GB	Duo 2,5GHz	80 GB SATA	WIN XP
PC RIS + MONITOR	DELL	OPTIPLEX 760	9F8H94J	2 GB	Duo 2,5GHz	80 GB SATA	WIN XP
PC RIS + MONITOR	DELL	OPTIPLEX 760	FF8H94J	2 GB	Duo 2,5GHz	80 GB SATA	WIN XP
PC RIS + MONITOR	DELL	OPTIPLEX 760	1G8H94J	2 GB	Duo 2,5GHz	80 GB SATA	WIN XP
PC RIS + MONITOR	DELL	OPTIPLEX 760	3F8H94J	2 GB	Duo 2,5GHz	80 GB SATA	WIN XP
PC RIS + MONITOR	DELL	OPTIPLEX 760	GF8H94J	2 GB	Duo 2,5GHz	80 GB SATA	WIN XP
PC RIS + MONITOR	DELL	OPTIPLEX 760	JF8H94J	2 GB	Duo 2,5GHz	80 GB SATA	WIN XP
PC RIS + MONITOR	DELL	OPTIPLEX 760	GF8H94J	2 GB	Duo 2,5GHz	80 GB SATA	WIN XP
PC RIS + MONITOR	DELL	OPTIPLEX 760	JF8H94J	2 GB	Duo 2,5GHz	80 GB SATA	WIN XP
PC RIS + MONITOR	DELL	OPTIPLEX 760	1G8H94J	2 GB	Duo 2,5GHz	80 GB SATA	WIN XP
PC RIS + MONITOR	DELL	OPTIPLEX 760	3F8H94J	2 GB	Duo 2,5GHz	80 GB SATA	WIN XP
PC RIS + MONITOR	DELL	OPTIPLEX 760	GF8H94J	2 GB	Duo 2,5GHz	80 GB SATA	WIN XP
PC RIS + MONITOR	DELL	OPTIPLEX 760	JF8H94J	2 GB	Duo 2,5GHz	80 GB SATA	WIN XP
PC RIS + MONITOR	DELL	OPTIPLEX 760	GF8H94J	2 GB	Duo 2,5GHz	80 GB SATA	WIN XP
PC RIS + MONITOR	DELL	OPTIPLEX 760	JF8H94J	2 GB	Duo 2,5GHz	80 GB SATA	WIN XP

P.O. "Giovanni Paolo II" POLICORO

TIPO	MARCA	Modello	Seriale	RAM	CPU	HD	S.O.
Workstation	DELL	PRECISION T3400	1WZ655J	4 GB	Quad 2,83GHz	72 GB SCSI	WIN 7
Workstation	DELL	PRECISION T3400	2WZ655J	4 GB	Quad 2,83GHz	72 GB SCSI	WIN 7
Workstation	DELL	PRECISION T3400	3KFN94J	4 GB	Quad 2,83GHz	72 GB SCSI	WIN 7
Workstation	DELL	PRECISION T3400	1MFN94J	4 GB	Quad 2,83GHz	72 GB SCSI	WIN 7
Workstation	DELL	PRECISION T3400	8MFN94J	4 GB	Quad 2,83GHz	72 GB SCSI	WIN 7
Workstation	DELL	PRECISION T3400	8LFN94J	4 GB	Quad 2,83GHz	72 GB SCSI	WIN 7
Workstation	DELL	PRECISION T3400	JKFN94J	4 GB	Quad 2,83GHz	72 GB SCSI	WIN 7
Workstation	DELL	PRECISION T3400	6KFN94J	4 GB	Quad 2,83GHz	72 GB SCSI	WIN 7
Workstation	DELL	PRECISION T3400	CKFN94J	4 GB	Quad 2,83GHz	72 GB SCSI	WIN 7
Workstation	DELL	PRECISION T3400	6KFN94J	4 GB	Quad 2,83GHz	72 GB SCSI	WIN 7
Workstation	DELL	PRECISION T3400	CKFN94J	4 GB	Quad 2,83GHz	72 GB SCSI	WIN 7
Workstation	DELL	PRECISION T3400	6KFN94J	4 GB	Quad 2,83GHz	72 GB SCSI	WIN 7
Workstation	DELL	PRECISION T3400	CKFN94J	4 GB	Quad 2,83GHz	72 GB SCSI	WIN 7
Workstation	DELL	PRECISION T3400	6KFN94J	4 GB	Quad 2,83GHz	72 GB SCSI	WIN 7
Workstation	DELL	PRECISION T3400	CKFN94J	4 GB	Quad 2,83GHz	72 GB SCSI	WIN 7

Monitor diagnostico	EIZO	GS320	20938042A	3Mp
Monitor diagnostico	EIZO	GS320	20938042A	3Mp
Monitor diagnostico	EIZO	GS320	20946042A	3Mp
Monitor diagnostico	EIZO	GS320	20946042A	3Mp
Monitor diagnostico	EIZO	GS320	2265039	3Mp
Monitor diagnostico	EIZO	GS320	2314049	3Mp
Monitor diagnostico	EIZO	GS320	2318049	3Mp
Monitor diagnostico	EIZO	GS320	2328049	3Mp
Monitor diagnostico	EIZO	GS320	2343049	3Mp
Monitor diagnostico	EIZO	GS320	2335049	3Mp
Monitor diagnostico	EIZO	GS520	2342049	5Mp
Monitor diagnostico	EIZO	GS520	2334049	5Mp

Monitor diagnostico	EIZO	GS520	21211118	5Mp
Monitor diagnostico	EIZO	GS520	21211018	5Mp
Monitor Visualizzazione	EIZO	SX30332	22801078	FHD
Monitor Visualizzazione	EIZO	SX30332	22999078	FHD
Monitor Visualizzazione	EIZO	SX30332	22801078	FHD
Monitor Visualizzazione	EIZO	SX30332	22999078	FHD
Monitor Visualizzazione	EIZO	SX30332	22801078	FHD
Monitor Visualizzazione	EIZO	SX30332	22999078	FHD
Monitor Visualizzazione	EIZO	SX30332	22801078	FHD
Monitor Visualizzazione	EIZO	SX30332	22999078	FHD
Monitor Visualizzazione	EIZO	SX30332	22801078	FHD
Monitor Visualizzazione	EIZO	SX30332	22999078	FHD
Monitor Visualizzazione	EIZO	SX30332	22801078	FHD
Monitor Visualizzazione	EIZO	SX30332	22999078	FHD
Monitor Visualizzazione	EIZO	SX30332	22801078	FHD
Monitor Visualizzazione	EIZO	SX30332	22999078	FHD
Monitor Visualizzazione	EIZO	SX30332	22801078	FHD
Monitor Visualizzazione	EIZO	SX30332	22999078	FHD
Monitor Visualizzazione	EIZO	SX30332	22801078	FHD
Monitor Visualizzazione	EIZO	SX30332	22999078	FHD

Server	DELL	POWER EDGE 2950	6Q8H94J	8 GB	Quad XEON 5450	3x146 GB SAS	WIN 2003
Server	DELL	POWER EDGE 2950	B47H94J	8 GB	Quad XEON 5450	3x146 GB SAS	WIN 2003
Server	DELL	POWER EDGE 2950	DQ8H94J	8 GB	Quad XEON 5450	3x146 GB SAS	WIN 2003
Server	DELL	POWER EDGE 2950	8GL6B4J	8 GB	Quad XEON 5450	3x146 GB SAS	WIN 2003
Server	DELL	POWER EDGE 2950	CGL6B4J	8 GB	Quad XEON 5450	3x146 GB SAS	WIN 2003
Storage	EMC	Celerra NX4	HD SAS e NL SAS			4 TB	

Robot	Rimage	5100	10021818				
Robot	Rimage	5100	10021818				
Robot	Rimage	2000I	10020844				
TIPO	MARCA	Modello	Seriale	RAM	CPU	HD	S.O.
PC RIS + MONITOR	DELL	OPTIPLEX 760	4G8H94J	2 GB	Duo 2,5GHz	80 GB SATA	WIN XP
PC RIS + MONITOR	DELL	OPTIPLEX 760	HF8H94J	2 GB	Duo 2,5GHz	80 GB SATA	WIN XP
PC RIS + MONITOR	DELL	OPTIPLEX 760	7D8H94J	2 GB	Duo 2,5GHz	80 GB SATA	WIN XP
PC RIS + MONITOR	DELL	OPTIPLEX 760	FG8H94J	2 GB	Duo 2,5GHz	80 GB SATA	WIN XP
PC RIS + MONITOR	DELL	OPTIPLEX 760	CF8H94J	2 GB	Duo 2,5GHz	80 GB SATA	WIN XP
PC RIS + MONITOR	DELL	OPTIPLEX 760	1F8H94J	2 GB	Duo 2,5GHz	80 GB SATA	WIN XP
PC RIS + MONITOR	DELL	OPTIPLEX 760	5F8H94J	2 GB	Duo 2,5GHz	80 GB SATA	WIN XP
PC RIS + MONITOR	DELL	OPTIPLEX 760	9F8H94J	2 GB	Duo 2,5GHz	80 GB SATA	WIN XP
PC RIS + MONITOR	DELL	OPTIPLEX 760	FF8H94J	2 GB	Duo 2,5GHz	80 GB SATA	WIN XP
PC RIS + MONITOR	DELL	OPTIPLEX 760	1G8H94J	2 GB	Duo 2,5GHz	80 GB SATA	WIN XP
PC RIS + MONITOR	DELL	OPTIPLEX 760	3F8H94J	2 GB	Duo 2,5GHz	80 GB SATA	WIN XP
PC RIS + MONITOR	DELL	OPTIPLEX 760	GF8H94J	2 GB	Duo 2,5GHz	80 GB SATA	WIN XP
PC RIS + MONITOR	DELL	OPTIPLEX 760	JF8H94J	2 GB	Duo 2,5GHz	80 GB SATA	WIN XP
PC RIS + MONITOR	DELL	OPTIPLEX 760	GF8H94J	2 GB	Duo 2,5GHz	80 GB SATA	WIN XP

Workstation Sala Operatori	NORIS	ACL OP-PC1907	019071336
Workstation Sala Operatori	NORIS	ACL OP-PC1907	019071331
Workstation Sala Operatori	NORIS	ACL OP-PC1907	019071335
Workstation Sala Operatori	NORIS	ACL OP-PC1907	019071338

P.O. D. "Rocco Mazzarone" TRICARICO

TIPO	MARCA	Modello	Seriale	RAM	CPU	HD	S.O.
Workstation	DELL	PRECISION T3400	1WZ655J	4 GB	Quad 2,83GHz	72 GB SCSI	WIN 7

Monitor diagnostico	EIZO	GS320	20938042A
Monitor diagnostico	EIZO	GS320	20938042A

Server	DELL	POWER EDGE 2950	6Q8H94J	8 GB	Quad XEON 5450	3x146 GB SAS	WIN 2003
Server	DELL	POWER EDGE 2950	B47H94J	8 GB	Quad XEON 5450	3x146 GB SAS	WIN 2003
Storage	DELL	MD3000	HD SAS e NL SAS			2 TB	

Robot	Rimage	2000I	10020844
Robot	Rimage	2000I	10020844

PC RIS + MONITOR	DELL	OPTIPLEX 760	4G8H94J	2 GB	Duo 2,5GHz	80 GB SATA	WIN XP
PC RIS + MONITOR	DELL	OPTIPLEX 760	HF8H94J	2 GB	Duo 2,5GHz	80 GB SATA	WIN XP
PC RIS + MONITOR	DELL	OPTIPLEX 760	7D8H94J	2 GB	Duo 2,5GHz	80 GB SATA	WIN XP

P.O. D. "Salvatore Peragine" STIGLIANO

TIPO	MARCA	Modello	Seriale	RAM	CPU	HD	S.O.
Workstation	DELL	PRECISION T3400	1WZ655J	4 GB	Quad 2,83GHz	72 GB SCSI	WIN 7

Monitor diagnostico	EIZO	GS320	20938042A
Monitor diagnostico	EIZO	GS320	20938042A

Server	DELL	POWER EDGE 2950	6Q8H94J	8 GB	Quad XEON 5450	3x146 GB SAS	WIN 2003
Server	DELL	POWER EDGE 2950	B47H94J	8 GB	Quad XEON 5450	3x146 GB SAS	WIN 2003
Storage	DELL	MD3000	HD SAS e NL SAS			2 TB	

Robot	Rimage	2000I	10020844
Robot	Rimage	2000I	10020844

PC RIS + MONITOR	DELL	OPTIPLEX 760	4G8H94J	2 GB	Duo 2,5GHz	80 GB SATA	WIN XP
PC RIS + MONITOR	DELL	OPTIPLEX 760	HF8H94J	2 GB	Duo 2,5GHz	80 GB SATA	WIN XP

P.O. D. "Angelina Lodico" TINCHI

TIPO	MARCA	Modello	Seriale	RAM	CPU	HD	S.O.
Workstation	DELL	PRECISION T3400	1WZ655J	4 GB	Quad 2,83GHz	72 GB SCSI	WIN 7

Monitor diagnostico	EIZO	GS320	20938042A
Monitor diagnostico	EIZO	GS320	20938042A

Server	DELL	POWER EDGE 2950	6Q8H94J	8 GB	Quad XEON 5450	3x146 GB SAS	WIN 2003
Server	DELL	POWER EDGE 2950	B47H94J	8 GB	Quad XEON 5450	3x146 GB SAS	WIN 2003
Storage	DELL	MD3000		HD SAS e NL SAS		2 TB	

Robot	Rimage	2000I	10020844
Robot	Rimage	2000I	10020844

PC RIS + MONITOR	DELL	OPTIPLEX 760	4G8H94J	2 GB	Duo 2,5GHz	80 GB SATA	WIN XP
PC RIS + MONITOR	DELL	OPTIPLEX 760	4G8H94J	2 GB	Duo 2,5GHz	80 GB SATA	WIN XP
PC RIS + MONITOR	DELL	OPTIPLEX 760	HF8H94J	2 GB	Duo 2,5GHz	80 GB SATA	WIN XP